XML Element	Attributes Description		Data Element	Valid Values	Data Ty
A header is required at xml version="1.0" enco</td <td>the beginning of each XMI eding="UTF-8" ?></td> <td>L file as follows:</td> <td></td> <td></td> <td></td>	the beginning of each XMI eding="UTF-8" ?>	L file as follows:			
<submission></submission>	Opening tag is required.				
	type	Describes the setting for which data is being submitted.	N/A	HOSPITAL	Charactei
	data	Describes the type of data being submitted.	N/A	CLINICAL	Charactei
	version	The version of the file layout.	N/A	3.0	Charactei
	action-code	Describes the intended action of the file being submitted.	N/A	ADD	Charactei
<pre><file-audit-data> sub-element of the submission data element.</file-audit-data></pre>	Opening tag for file audit data	Note: This tag and the entire <file-audit-data> section are optional in the XIV</file-audit-data>	L document. If submitted	l, this tag contains no data. Required	l if sub-elem
<create-date> sub-element of the file audit data element</create-date>		a closing tag that is the same as the opening tag but with a forward slash. ate-date>05-10-2007			
	None	None The month, day, and year the XML file was created		MM-DD-YYYY (Must be a valid date)	Date
<create-time> sub-element of the file audit data element</create-time>	Each element must have Example with data: <a href="mailto:create-time >23:01/cre	a closing tag that is the same as the opening tag but with a forward slash. ate-time>			
	None	The hour and minutes representing the time the file was created	N/A	HH:MM (military format with or without colon)	Time
<pre><create-by> sub-element of the file audit data element</create-by></pre>	Each element must have Example with data: <create-by>VendorA<td>a closing tag that is the same as the opening tag but with a forward slash. eate-by></td><td></td><td></td><td></td></create-by>	a closing tag that is the same as the opening tag but with a forward slash. eate-by>			
	None	The entity that created the file	N/A		Charactei
<version> sub-element of the file audit data element</version>	Each element must have Example with data: <version>1.0</version>	a closing tag that is the same as the opening tag but with a forward slash.			-
	None	The version of the file being submitted	N/A		Charactei
<pre><create-by-tool> sub-element of the file audit data element</create-by-tool></pre>	Each element must have Example with data: <create-by-tool>CART4.</create-by-tool>	a closing tag that is the same as the opening tag but with a forward slash. 1			•
	None	Tool used to create the XML file	N/A		Charactei
	Closing tag for file audit data	Note: This tag and the entire <file-audit-data> section are optional in the XN</file-audit-data>	IL document, but if the op	Dening tag of <file-audit-data> is prov</file-audit-data>	rided, then tl
<pre><pre><pre><pre><pre><pre>Sub-element of the submission data element</pre></pre></pre></pre></pre></pre>	Opening tag for provider	Note: This tag is required in the XML document. However, it contains no da	ta.		

XML Element	Attributes	Description	Data Element	Valid Values	Data Ty		
<pre><pre><pre><pre><pre><pre>sub-element of the submission element</pre></pre></pre></pre></pre></pre>	Each element must have a Example with data: <pre><pre><pre><pre><pre><pre><pre><pre></pre></pre></pre></pre></pre></pre></pre></pre>	a closing tag that is the same as the opening tag but with a forward slash.					
	None	Used to identify the provider. This will be either a valid 6-digit Medicare or 10-digit Medicaid provider ID.	Provider ID	Valid 6 or 10 digit ID	Charactei		
<npi>sub-element of the provider element</npi>	Each element must have a closing tag that is the same as the opening tag but with a forward slash. Example with data: <npi>1234567890</npi>						
	None	National Provider Identifier as assigned by CMS Please Note: If the <pre>Provider-id</pre> National Provided then a valid <npi>Identifier is REQUIRED.</npi>		Valid 10 digit NPI Number	Charactei		
<hcoid> sub-element of the provider element</hcoid>	Each element must have a Example with data: <hcoid>123456</hcoid>						
	None	Used to identify the healthcare organization	Health Care Organization Identifier	See ORYX Technical Implementation Guide	See ORY Technical Implemer n Guide		
<pre><patient> sub-element of the provider element</patient></pre>	Opening tag for patient	Note: This tag is required in the XML document. However, it contains no data.					
<first-name></first-name>		a closing tag that is the same as the opening tag but with a forward slash. name>					
	None	The patient's first name	First Name	Patient's First Name	Charactei		
 sub-element of the patient element	Each element must have a Example with data: <last-name>Doe<td>a closing tag that is the same as the opening tag but with a forward slash. ame></td><td></td><td>,</td><td></td></last-name>	a closing tag that is the same as the opening tag but with a forward slash. ame>		,			
	None	The patient's last name	Last Name	Patient's Last Name	Charactei		
 </br></br></br></br></br></br></br></br></br></br></br></br></br>	Each element must have a closing tag that is the same as the opening tag but with a forward slash.						
	None	The month, day, and year the patient was born	Birthdate	MM-DD-YYYY (Must be a valid birthdate and cannot equal UTD)	Date		
<sex> sub-element of the patient element</sex>		a closing tag that is the same as the opening tag but with a forward slash.					
	None	The patient's sex	Sex	M,F,U	Charactei		
<race></race>	Each element must have a closing tag that is the same as the opening tag but with a forward slash.						
sub-element of the patient element	Example with data:	a closing tag that is the same as the opening tag but with a lorward slash.					

XML Element	Attributes	Description	Data Element	Valid Values	Data Ty
<ethnic> sub-element of the patient element</ethnic>		I a closing tag that is the same as the opening tag but with a forward slash.			
	None	Documentation that the patient is Hispanic/Latino/Spanish	Hispanic Indicator	Y,N	Charactei
<pre><episode-of-care> sub-element of the patient element</episode-of-care></pre>		Example with data: <episode-of-care measure-set="MAT-4"></episode-of-care>			
	measure-set	The code for the measure set submitted.	Measure set	MAT-4 NEWB-1 CCM	Charactei
<admit-date> sub-element of the episode-of-care element</admit-date>	measure-set				
	None	The month, day, and year of admission for inpatient care	Admission Date	MM-DD-YYYY (Must be a valid date and cannot equal UTD)	Date
<pre><discharge-date> sub-element of the episode-of-care element</discharge-date></pre>	Each element must have a Example with data: <discharge-date>04-06-2</discharge-date>	a closing tag that is the same as the opening tag but with a forward slash.			
	None	The month, day, and year the patient was discharged from acute care, left against medical advice, or expired during this stay.	Discharge Date	MM-DD-YYYY (Must be a valid date and cannot equal UTD)	Date
<pre><pthic> sub-element of the episode-of-care element</pthic></pre>	Each element must have a Example with data: <pthic>123456789A<td>a closing tag that is the same as the opening tag but with a forward slash.</td><td></td><td></td><td></td></pthic>	a closing tag that is the same as the opening tag but with a forward slash.			
	None	HIC# of the patient The patient's Medicare health insurance claim number.	Patient HIC#	No embedded dashes or spaces or special characters Must have both alpha and numeric characters Alpha characters Length cannot be more than 12 or less than 7 characters For alphanumeric, do not allow all numeric values to be 9's. For example, do not allow 1 alpha + 99999999, etc.	Characte

XML Element	Attributes	Description	Data Element	Valid Values	Data Ty
<vendor-tracking-id> sub-element of the episode-of-care element</vendor-tracking-id>	Example with data:	a closing tag that is the same as the opening tag but with a forward slash. 3456789012			
	None	Used by the vendor to identify the episode of care	Vendor Tracking ID	Up to 100 characters	Charactei
<pre><patient-id> sub-element of the episode-of-care element</patient-id></pre>	Each element must have a Example with data: <patient-id>74185296374</patient-id>	a closing tag that is the same as the opening tag but with a forward slash. 4185296385			
	None	Identifier used to identify the patient at the hospital	Patient Identifier	Up to 40 characters	Charactei
<detail> sub-element of the episode-of-care element</detail>	Attributes describe the ele Example of Yes/No ques For discharges 4/1/2007 a <detail <br="" answer-code="3">Example of multiple cho <detail <br="" answer-code="3">Example of a user-enter</detail></detail>	row-number="0" question-cd="ASPRNRXDIS"> sice question (refer to Table A for valid answer codes): row-number="0" question-cd="ANTIBIRCVD">			
	answer-code	ID number of the answer	Not a data element itself; each possible answer has its own unique ID	Refer to Table A for valid values	Charactei
	question-cd	The field name of the question	Not a data element itself; each data element is a question code	Refer to Table A for valid values	Charactei
	row-number	Used to group answers together for multi-row, multi-column answers	Not a data element itself; used for grouping answers only	0-75 Depending on the number of rows allowed per question. i.e. Antibiotic Name, Date, Time and Route would have rownumber 0 for the first antibiotic, 1 for the second antibiotic, and so on.	Integer
<answer-value> Sub-element of detail</answer-value>	The answer value Example: <answer- value="">No</answer->	The description of the answer-code	Not a data element itself; each answer has a value	Place the answer text here. Examples: Yes No Male Female 01-01-2006 Note: All Dates in this field should be formatted as MM-DD-	Charactei

XML Element	Attributes	Description	Data Element	Valid Values	Data Ty			
	Closing tag for detail	Note: This tag is required in the XML document. However, it contains no data.						
	Closing tag for episode of care	Note: This tag is required in the XML document. However, it contains no data.						
	Closing tag for patient	Note: This tag is required in the XML document. However, it contains no data.	lote: This tag is required in the XML document. However, it contains no data.					
	Closing tag for provider	Note: This tag is required in the XML document. However, it contains no data.						
	Closing tag for submission	Note: This tag is required in the XML document. However, it contains no data.						

	Retired Elements Effective (v12.0)									
<postal-code></postal-code>	Each element must	have a closing tag that is the same as the opening tag but with a forward slash.								
sub-element of the patient	Example with data	example with data:								
element	<pre><postal-code>5026</postal-code></pre>	66								
	None	The postal code of the patient's residence. For USA zip codes, the hyphen is	Postal Code	(5 or 9 digit without hyphen,	Charactei					
		implied. If the patient is determined to not have a permanent residence, then		"HOMELESS", or Non-US)						
		the patient is considered homeless.								

	_									
Element Name	QUESTION/ Field Name	Data Type	Length	Occurrence	Answer Code	Answer Value				
Admission to the NICU	Was the newborn admitted to the NICU at this hospital at any time during the hospitalization?									
	ADMNICU	Alpha	1	1	Υ	Yes				
					N	No				
Advance Care Plan	Does the Transition Record incl									
	ADVCAREPLN	Alpha	Alpha 1	1	Υ	Yes				
			<u> </u>		N	No				
Contact Information 24 hrs/ 7 days	Does the Transition Record include 24 hr/ 7 day Contact Information for questions, concerns, or emergencies related to the inpatient stay?									
	CONTINFOHRDY	Alpha	1	1	Υ	Yes				
					N	No				
Contact Information for Studies Pending at					s pending at discharge or docu	mentation that there were no studies pendi				
Discharge	CONTINFOSTPEND	Alpha	1	1	Υ	Yes				
					N	No				
Current Medication List	Does the Transition Record include a Current Medication List or documentation of no medications?									
	MEDLIST	Alpha	1	1	Υ	Yes				
					N	No				
Discharge Diagnosis	Does the Transition Record include the Discharge Diagnosis?									
	PRINDXDC	Alpha	1	1	Υ	Yes				
					N	No				
Discharge Disposition	What was the patient's discharg	ge disposition on the da	y of discharge	?						
	DISCHGDISP	Alpha	1	1	1	Home				
		·			2	Hospice - Home				
					3	Hospice - Health Care Facility				
					4	Acute Care Facility				
					5	Other Health Care Facility				
					6	Expired				
					7	Left Against Medical Advice/AMA				
					8	Not Documented or Unable to Deterr				
					l ^o	(UTD)				
						(GTE,				
Exclusive Breast Milk Feeding	Is there documentation that the	newborn was exclusive	ely fed breast r	milk during the en	tire hospitalization?					
-	EXBRSTFD	Alpha	1	1	Υ	Yes				
		,			N	No				
Gestational Age	How many weeks of gestation v	vere completed at the t	ime of delivery	/?						
	GESTAGE	Alpha	3	1 1	In completed weeks; do not	In completed weeks; do not round up.				
		,			round up.	Two digit number with no leading zero or				
					Two digit number with no	"UTD".				
					leading zero or "UTD"					

Element Name	QUESTION/ Field Name	Data Type	Length	Occurrence	Answer Code	Answer Value			
ICD 40 CM Other Diagraphic Codes	What were the ICD 40 CM athe		4 6 4 -						
ICD-10-CM Other Diagnosis Codes	What were the ICD-10-CM other				T	Transition of the state of the			
	OTHRDX#	Character	3-7	24	ICD-10-CM Diagnosis code, without decimal point or dot, upper or lower case	ICD-10-CM Diagnosis code, without decipoint or dot. Allows up to 24 rows			
ICD-10-PCS Other Procedure Codes	What were the ICD-10-PCS coo	de(s) selected as other	procedure(s)	for this record?					
10D 101 00 Other Freedure Oodes	OTHRPX#	Character	3-7	24	ICD-10-PCS Procedure	ICD-10-PCSProcedure code, without deci			
	OTHERA#	Character	3-7	24	code, without decimal point or dot. upper or lower case	point or dot Allows up to 24 rows			
ICD-10-PCS Other Procedure Dates	What were the date(s) the other	r procedure(s) were per	formed?						
	OTHRPX#DT	Date	10	24	User Entered (MM-DD-YYYY)	User Entered (MM-DD-YYYY). Allows up 24 rows			
ICD-10-CM Principal Diagnosis Code	What was the ICD-10-CM code					.			
	PRINDX	Character	3-7	1	ICD-10-CM Diagnosis code, without decimal point or dot, upper or lower case	ICD-10-CM Diagnosis code, without decir point or dot			
ICD-10-PCS Principal Procedure Code	What was the ICD-10-PCS code selected as the principal procedure for this record?								
	PRINPX	Character	3-7	1	ICD-10-PCS Procedure code, without decimal point or dot, upper or lower case	ICD-10-PCS Procedure code, without dec point or dot			
ICD-10-PCS Principal Procedure Date	What was the date the principal	procedure was perforn	ned?						
	PRINPXDATE	Date	10	1	User Entered (MM-DD-YYYY)	User Entered (MM-DD-YYYY). All record with a principal procedure			
MassHealth Member ID	What is the patient's MassHealt	th Member ID?							
	MHRIDNO	Alpha	20	1	All alpha characters must be upper case	All alpha characters must be upper case			
Medical Procedures and Tests	Does the Transition Record incl		,		mary of Results?				
	PROCTEST	Alpha	1	1	Υ	Yes			
					N	No			

Appendix A-4: Table A for MassHealth Specific Measures (MAT 4, NEWB-1, and CCM 1, 2,3)

Element Name	QUESTION/ Field Name	Data Type	Length	Occurrence	Answer Code	Answer Value	
Patient Instructions	Does the Transition Record include	de Patient Instructions	?				
	PATINSTR	Alpha	1	1	Υ	Yes	
					N	No	
Payer Source	What is the patient's primary sour	rce of Medicaid payme	ent for care pr	ovided?			
	PMTSRCE	Alpha	3	1	103	Medicaid: Includes MassHealth FFS and MassHealth Limited	
					104	Medicaid: Primary Care Clinician (PCC) F	
					208	Medicaid Managed Care – Boston Medica Center HealthNet Plan	
					116, 274	Medicaid Managed Care – Tufts Health Together Plan	
					118	Medicaid Mental Health & Substance Abu Plan - Mass Behavioral Health Partnershi	
					119	Medicaid Managed Care - Other (not liste elsewhere)	
					312	Medicaid: Fallon 365 Care (ACO)	
					313	Medicaid: Be Healthy Partnership with He New England (ACO)	
					314	Medicaid: Berkshire Fallon Health	
						315	Collaborative (ACO) Medicaid: BMC HealthNet Plan Communi Alliance (ACO)
					316	Medicaid: BMC HealthNet Plan Mercy Alli (ACO)	
					317	Medicaid: BMC HealthNet Plan Signature	
					318	Alliance (ACO) Medicaid: BMC HealthNet Plan Southcoa Alliance (ACO)	
					321	Medicaid: My Care Family with Allways H Partners (ACO)	
					324	Medicaid: Tufts Health Together with Atri Health (ACO)	
					325	Medicaid: Tufts Health Together with BID (ACO)	
					326	Medicaid: Tufts Health Together with Bos Children's (ACO)	
					327	Medicaid: Tufts Health Together with CH/	
					328	Medicaid: Wellforce Care Plan (ACO)	
					320	Medicaid: Community Care Cooperative (ACO)	
					322	Medicaid: Partners Healthcare Choice (A	
					323	Medicaid: Steward Health Choice (ACO)	
					311	Medicaid: Other ACO	
					311	iviedicalu. Otriel ACO	

es the Transition Record include ANFUP the patient experience a live bir MPLB es the Transition Record include FUP at is the name of the provider of DVNAME at is the patient's self-reported of RACE	Alpha irth prior to the currer Alpha e the name of the Pri Alpha f acute care inpatient	1 In thospitalization 1 mary Physicia 1	on?	Y N	Answer Value nysician of no follow-up care required OR patie Yes No Yes No Yes No designated for follow-up care? Yes No User Entered
the patient experience a live bir MPLB es the Transition Record include FUP at is the name of the provider of DVNAME at is the patient's self-reported in	Alpha irth prior to the currer Alpha e the name of the Pri Alpha f acute care inpatient Alpha race?	nt hospitalization 1 mary Physicia 1 t services?	on? 1 n or other Health	Y N Y N O Care Professional or site d Y N	Yes No Yes No Ves No Ves No No Ves No Ves No
the patient experience a live bir MPLB es the Transition Record include FUP at is the name of the provider of DVNAME at is the patient's self-reported in	e the name of the Print Alpha Alpha If Alpha Alpha If acute care inpatient Alpha Alpha race?	mary Physicia 1 t services?	on? 1 n or other Health	Y N Care Professional or site d Y N	Yes No designated for follow-up care? Yes No
MPLB es the Transition Record include FUP at is the name of the provider of DVNAME at is the patient's self-reported in	Alpha e the name of the Print Alpha f acute care inpatient Alpha race?	mary Physicia 1 t services? 60	n or other Health	Y N Care Professional or site d Y N	Yes No designated for follow-up care? Yes No
MPLB es the Transition Record include FUP at is the name of the provider of DVNAME at is the patient's self-reported in	Alpha e the name of the Print Alpha f acute care inpatient Alpha race?	mary Physicia 1 t services? 60	n or other Health	Care Professional or site d	No designated for follow-up care? Yes No
MPLB es the Transition Record include FUP at is the name of the provider of DVNAME at is the patient's self-reported in	Alpha e the name of the Print Alpha f acute care inpatient Alpha race?	mary Physicia 1 t services? 60	n or other Health	Care Professional or site d	No designated for follow-up care? Yes No
at is the name of the provider of DVNAME at is the patient's self-reported of	e the name of the Print Alpha If acute care inpatient Alpha race?	mary Physicia 1 1 t services? 60	1	Care Professional or site d	No designated for follow-up care? Yes No
at is the name of the provider of DVNAME at is the patient's self-reported of	Alpha f acute care inpatient Alpha race?	t services?	1	Y N	Yes No
at is the name of the provider of DVNAME at is the patient's self-reported of	Alpha f acute care inpatient Alpha race?	t services?	1	Y N	Yes No
at is the name of the provider of DVNAME at is the patient's self-reported of	Alpha f acute care inpatient Alpha race?	t services?	1	Y N	Yes No
OVNAME at is the patient's self-reported r	Alpha race?	60	1		
OVNAME at is the patient's self-reported r	Alpha race?	60	1	User Entered	User Entered
OVNAME at is the patient's self-reported r	Alpha race?	60	1	User Entered	User Entered
OVNAME at is the patient's self-reported r	Alpha race?	60	1	User Entered	User Entered
	race?	2-6			
		2-6			
		2-6			
	·		1	R1	American Indian or Alaska Native
	1			R2	Asian
				R3	Black/African American
				R4	Native Hawaiian or Pacific Islander
				R5	White
				R9	Other Race
	ļ		l	UNKNOW	Unknown
	e the Reason for Inpa	atient Admission	on?		
TADMREAS	Alpha	1	1	Υ	Yes
	ļ		l	N	No
the patient/caregiver receive a	copy of the reconcile	ed medication	list at the time of	discharge?	
CONMEDLIST	Alpha	1	1	Υ	Yes
				N	No
s the Transition Record include	e documentation of S	tudies Pendin	g at Discharge o	r that no studies were pendi	ing?
JDPENDDC	Alpha	1	1	Υ	Yes
				N	No
nere documentation that the nev	wborn was at term or	r >= 37 compl	eted weeks of ge	station at the time of birth?	
MNB	Alphanumeric	1	1	1	Yes
	·			2	No
				3	UTD
the patient/ caregiver(s) or nex	kt site of care for a tra	ansfer receive	a transition reco	rd at the time of discharge?	,
REC		1	1	Ty	Yes
			1	N	No
at is the date documented in the	e medical record that	t the Transitio	n Record was tra	insmitted?	
DATE	Date Date	10	1	User Entered Date	User Entered Date (MM-DD-YYYY or UT
t C	he patient/caregiver receive a ONMEDLIST s the Transition Record include DPENDDC ere documentation that the net INB he patient/ caregiver(s) or nex EC t is the date documented in the	Alpha he patient/caregiver receive a copy of the reconcile ONMEDLIST Alpha s the Transition Record include documentation of S DPENDDC Alpha ere documentation that the newborn was at term or INB Alphanumeric he patient/ caregiver(s) or next site of care for a trace EC Alpha t is the date documented in the medical record that	Alpha 1 he patient/caregiver receive a copy of the reconciled medication ONMEDLIST Alpha 1 s the Transition Record include documentation of Studies Pending DPENDDC Alpha 1 ere documentation that the newborn was at term or >= 37 completing Alphanumeric 1 he patient/ caregiver(s) or next site of care for a transfer receive EC Alpha 1 t is the date documented in the medical record that the Transition	he patient/caregiver receive a copy of the reconciled medication list at the time of ONMEDLIST Alpha 1 1 s the Transition Record include documentation of Studies Pending at Discharge of DPENDDC Alpha 1 1 are documentation that the newborn was at term or >= 37 completed weeks of generated by the patient/ caregiver(s) or next site of care for a transfer receive a transition record to the patient/ caregiver(s) or next site of care for a transfer receive a transition record to the patient of	Alpha 1 1 1 Y N N N N N N N N N N N N N N N N

Element Name	QUESTION/ Field Name	Data Type	Length	Occurrence	Answer Code	Answer Value			
		<u>Reti</u>	red Ele	ments E	ffective (v12.0))			
Born in this Facility	Was the newborn born in this fac								
	BORNFAC Alph	Alpha	1	1	Υ	Yes			
					N	No			
Comfort Measures Only	Is there documentation for comf	fort measures only?							
	СМО	Alpha	1	1	Υ	Yes			
					N	No			
DVT Prophylaxis for Cesarean Delivery	Was DVT prophylaxis administe	ered to the patient prior	r to Cesarean o	delivery?					
	DVTP	Alpha	1	1	Υ	Yes			
					N	No			
Ethnicity	What is the patient's self-reported ethnicity?								
	ETHNICCODE	Alpha	6	1	Alpha 6 characters or numeric is 5 numbers with a hyphen after the 4th number (####-#) (see Table B)	Alpha 6 characters or numeric is 5 numbe with a hyphen after the 4th number (#### (see Table B)			
Hospital Bill Number	What is the patient's hospital bill	I number?							
	HOSPBILL#	Alpha	20	1	Hospital internal billing number. This is a required field.	Hospital internal billing number. This is a required field.			
Newborn Bilirubin Screening	Is there documentation the infan				prior to discharge?				
	BILISCRN	Alpha	1	1	1	1-Yes			
					2	2- Parental Refusal			
					3	3- No or UTD			
Sample	Does this case represent part of	f a sample?							
	SAMPLE	Alpha	1	1	Υ	Yes			
					N	No			

Question	Field Name	Valid Values	Value Descriptions
MH Race	MHRACE	R1	American Indian or Alaska Native
		R2	Asian
		R3	Black/African American
		R4	Native Hawaiian or Pacific Islander
		R5	White
		R9	Other Race
		UNKNOW	Unknown